ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

Tel:86-756-6333555 Fax:86-756-3922218

MATERIAL SAFETY DATA SHEET

 $\label{eq:Date:Jan 1st} \textbf{Date: Jan 1}^{\text{st}}, 2021 \\ \textbf{File No.: PH-W5-104} \\$

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Product name: Lithium Ion Battery
Chemical System: Li(NiCoMn)O2/C

Model: 2xICR18650 4400mAh 3.7V 16.28Wh

Designated for RECHARGE? X Yes No

Manufacturer/supplier identification

Company: ZHUHAI GREAT POWER ENERGY CO.,LTD.

Contact for information: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN

TOWN, DOUMEN DISTRICT, ZHUHAI CITY,

GUANGDONG PROVINCE

Emergency telephone No. : 0086-0756-6333555

2. Composition/information on ingredients

Ingredient	Percent	CAS Index No./EC No.	Molar Molecular Symbol mass formula
Ternary Materials	28.4%	182442-95-1	Li(NiCoMn)O2
Graphite	17.1%	7782-42-5	C
Lithium hexafluorophosphate	1.3%	21324-40-3	LiPF6
Ethylene carbonate	3.4%	96-49-1	C3H4O3
Diethyl carbonate	4.7%	105-58-8	C5H10O3
Dimethyl carbonate	3.8%	616-38-6	C3H6O3
Polypropylene	2%	9003-07-0	(C3H6)n
Steel	31.1%	7439-89-6	Fe
Copper	5.7%	7440-50-8	Cu
Aluminum	2.5%	7429-90-5	Al

Weight of metallic lithium per cell: 0g. There is no metallic lithium in the lithium-ion battery. The lithium polymer battery is with a Watt-hour rating ≤ 20 Wh/Cell (cell), ≤ 100 Wh (battery pack).

3. Hazards identification

Health Hazards (Acute and Chronic):

For the battery cell, chemical materials are stored in a hermetically sealed can, designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use, there is no physical danger of ignition or

ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

Tel:86-756-6333555 Fax:86-756-3922218

explosion and chemical danger of hazardous materials leakage.

However, if exposed to a fire, added mechanical shocks, decomposed, or added electric stress by misuse the cell case will be breached and hazardous materials may be released. Moreover, if heated strongly by the surrounding fire, acrid gas may be emitted.

Carcinogenicity:

NTP: None IARC Monograph: None OSHA Regulated: None

Medical Conditions Generally Aggravated by Exposure:

An acute exposure will not generally aggravate any medical condition.

Human health effects:

Inhalation: The steam of the electrolyte has an anesthesia action and stimulates a respiratory tract.

Skin contact: The steam of the electrolyte stimulates a skin. The electrolyte skin contact causes a sore and the stimulation on the skin.

Eye contact: The steam of the electrolyte stimulates eyes. The electrolyte eye contact causes a sore and the stimulation on the eye. Inflammation of the eyes may occur.

Environmental effects:

Since a battery cell remains in the environment, do not throw out it into the environment.

Specific hazards:

If the electrolyte contacts with water, it may generate detrimental hydrogen fluoride. Since the leaked electrolyte is inflammable liquid, do not bring close to fire.

4. First aid measures

After inhalation contact: Make the victim blow his/her nose, gargle. Seek medical attention if

necessary.

After skin contact: Remove contaminated clothes and shoes immediately. Immediately wash

extraneous matter or contact region with soap and plenty of water.

After eye contact: Do not rub eyes. Immediately flush eyes with water continuously for at least

15 minutes. Seek medical attention.

After ingestion contact: Make the victim vomit. Immediately seek medical attention.

5. Fire-fighting measures

Extinguishing Media: Plenty of water, CO₂ gas, nitrogen gas, chemical powder fire extinguishing

medium and fire foam.

Specific methods of

fire-fighting:

When the battery burns with other combustibles simultaneously, take fire


extinguishing method which corresponds to the combustibles. Extinguish a fire

from the windward as much as possible.

Flammable Limits: Not available

6. Accidental release measures

The preferred response is to leave the area and allow the batteries to cool and the vapors to dissipate. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.



ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

Tel:86-756-6333555 Fax:86-756-3922218

7. Handling and storage

Avoid mechanical or electrical abuse. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

8. Exposure controls/personal protection

Specific control parameter:

Personal protective equipment:

Respiratory protection (Specify Type):

Ventilation:

Protective Gloves:

Eye protection:

Other Protective

Not necessary under conditions of normal use.

(Clothing or Equipment):

9. Physical and chemical properties

Appearance

Physical state:Solid Form:Cylindrical Color:Metallic color Odor:No odor

PH:N/A Specific temperatures:Temperature ranges changes in physical state occur.

Flash point:N/A Explosion properties:N/A

Density:N/A Solubility:with indication of the solvent(s): Insoluble in water

10. Stability and reactivity

Stability: Stable

Conditions to Avoid: When cell is exposed to an external short-circuit, crushes, deformation, high

temperature above 100 degree C, it will cause heat generation and ignition. Avoid

direct sunlight and high humidity.

Hazardous Decomposition

or By-products:

Acrid or harmful gas is emitted during fire.

Materials to avoid: Conductive materials, water, seawater, strong oxidizers and strong acids.

Hazardous polymerization will not occur.

11. Toxicological information



ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

> Tel:86-756-6333555 Fax:86-756-3922218

Acute toxicity:

60-100mg sized coarse particulate causes a gastrointestinal disturbance Copper

with nausea and inflammation. TDLo, hypodermic - Rabbit 375mg/kg

LD50, oral - Rat 2,000mg/kg or more Organic electrolyte

Further toxicological information:

Aluminum By the long-term inhalation of coarse particulate or fume, it is possible to

cause lung damage (aluminum lungs).

Long-term inhalation of high levels of graphite coarse particulate may Graphite

cause lung disease or a tracheal disease.

12. Ecological information

Ecotoxic effects: No information is available. Biodegradable : No information is available. Mobility in soil: No information is available.

Bioconcentration or biological accumulation: No information is available.

Other harmful effects:Don't abandon the battery into environment, may cause water or soil pollution.

13. Disposal considerations

Great Power encourages battery recycling. Our Li-ion batteries are recyclable through the Rechargeable Battery Recycling Corporation's (RBRC) Charge Up to Recycle! Program. For information call 1-800-8-BATTERY or see their website at www.rbrc.org. Li-ion batteries must be handled in accordance with all applicable state and federal laws and regulations.

DO NOT INCINERATE or subject battery cells to temperatures in excess of 212° F. Such treatment can vaporize the liquid electrolyte causing cell rupture. Do not use in combination with fresh and used lithium batteries neither with other type of battery.

14. Transport information

ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

Tel:86-756-6333555 Fax:86-756-3922218

Lithium batteries are classified to Lithium ion batteries (including lithium ion polymer batteries) and Lithium metal batteries (including lithium alloy batteries).

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "PI965-970 section II of IATA-DGR" or "special provision 188 of IMO-IMDG Code".

Air transportation, according to IATA-DGR 62nd Edition (Effective 1 January-31December 2021)

UN Number UN 3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class Class 9

Packaging requirement PACKING INSTRUCTION 965 of section IB

Sea transportation, according to IMO IMDG Code (Amend 39-18)

UN Number UN 3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class Not restricted Special provision sp188

Package instruction Not-restricted goods

EmS No. F-A, S-I

技术部

15. Regulatory information

Dangerous Goods Regulation (DGR)

Recommendations on the Transport of Dangerous Goods Model Regulations International Maritime Dangerous Goods (IMDG)

Occupational Safety and Health Act (OSHA)

Toxic Substances Control Act (TSCA)

Code of Federal Regulations (CFR)

Technical Instructions for the Safe Transport of Dangerous Goods

California Proposition 65

Superfund Amendments and Reauthorization Act Title III (302/311/312/313) (SARA) In accordance with all Federal, State and local laws.

16. Other information

Make people: Professional post: R&D Engineer Name(sign): YiKai

Make unit: Name: R&D Department Phone: 0086-756-6333555

Address: R&D Dept., Panyu Plant.,

Date of issue: 2021/01/01

ZHUHAI GREAT POWER ENERGY CO.,LTD.

广东省珠海市斗门区井岸镇珠峰大道新青科技园

Add: TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN, DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE

Tel:86-756-6333555 Fax:86-756-3922218

DISCLAIMER:

The information and recommendations set forth are made in good faith and believed to be accurate as of the date of preparation. ZHUHAI GREAT POWER ENERGY CO.,LTD. makes no warranty, expressed or implied, with respect to this information and disclaims all liabilities from reliance on it.

The second second