



## SWEDISH TYPE APPROVAL 0602 WITH DECISION ON PRODUCTION CONTROL

### Holder: Gebr. Ostendorf Kunststoffe GmbH

Rudolf-Diesel-Strasse 6-8, 49377 Vechta, Germany

Phone: +49 (0) 4441 8740

E-mail: [s.stukenborg@ostendorf-kunststoffe.com](mailto:s.stukenborg@ostendorf-kunststoffe.com)

Homepage: [www.ostendorf-kunststoffe.com](http://www.ostendorf-kunststoffe.com)

### SKOLAN SAFE – SOUNDPROOF WASTEWATER SYSTEM

#### Product description

Soundproof pipe system for diverting of wastewater made of mineral reinforced PP (Propylen) pipes and fittings with dimensions DN 56, 70, 90, 100, 125, 150 and 200 mm.

#### Intended use

Soundproof pipe system for diverting of wastewater within buildings there temperature can briefly reach 95° C.

#### Scope

Skolan Safe



#### Approval

The products meet the requirements of Chapter 8, Section 4, of the “Planning and Building Act” (PBA) regarding the technical characteristics of construction works, « 1. Durability; 3. Protection with regard to hygiene, health and environment », depending on, that what is stated in this approval is followed. The products are approved according to the following section(s) of “Boverket's Building Regulations” (BBR):

Construction products with assessed properties	1:4
Waste water installations	6:641
Design	6:644

#### Marking

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Holder:	Gebr. Ostendorf Kunststoffe GmbH
Product name, and relevant article number:	Skolan Safe
Production site:	Gebr. Ostendorf Kunststoffe GmbH
Traceability to the production:	(e.g. yyyy-mm-dd or batchnumber)
The registered trademark of Boverket No 241 217:	
Certification Body:	Kiwa Sverige AB 
Accreditation number:	1913
Type Approval No:	0602
Inspection Body:	MPA

CERTIFIKAT

#### Kiwa Sverige AB

Campus Gräsvik 1  
SE-371 75 Karlskrona  
Sweden

Tel +46 (0)455-30 56 00

Fax +46 (0)455-104 36

[se.bygg@kiwa.com](mailto:se.bygg@kiwa.com)

[www.kiwa.se](http://www.kiwa.se)



Accred. no. 1913  
Certification of  
Products  
ISO/IEC 17065

**Production site**

Gebr. Ostendorf Kunststoffe GmbH, 49377 Vechta, Germany.

**Control**

The manufacturer's continuing internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **MPA Darmstadt**

Inspection agreement: **K1706-I/04.2019**

Factory production control shall be carried out in accordance with the instructions for control, dated 04.2019.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to current instructions for control and that the holder annually fulfils the requirement in "Boverket's regulations and general recommendations for type approval", BFS 2013:6, § 5 (TYP 7), on continuing internal control. The holder shall annually, at the latest on the 15<sup>th</sup> of December, report to Kiwa Certification at the e-mail address [se.annualreporting@kiwa.com](mailto:se.annualreporting@kiwa.com) about continuing surveillance.

**Associated documents**

"Installation Instructions Skolan Safe", dated 2021-02-23.

**The assessment basis for the approval**

Assessment report as well as documentation basis in project Dno. 568/14.

Inspection reports no. I-K 20 0376.103 and no. I-K 20 0376.104, issued by MPA Darmstadt.

**Comments**

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Sverige AB.

Date of decision: 2021-06-08

Registration number: 0108/21

Valid until: 2026-06-07

Previous registration number: 568/14

  
Bengt-Olov Andin

  
Kasem Bjelcyac